

## 檢驗報告

報告編號： UB/2009/40406

日期： 2009年4月29日 頁數： 1 of 4



均利有限公司

台北縣新莊市建安街7號8樓

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： AMAZING series - 抗氧化雙星  
送樣日期： 2009年04月20日  
測試日期： 2009年04月21日

委託測試項目： 1.112項常見西藥成份定性分析  
2.重金屬定量分析

測試方法： 1.本測試參考SGS內部方法，以液相層析質譜儀(LC/MS)檢測之。  
2.本測試參考SGS內部方法，以感應耦合電漿光譜儀(ICP/OES)檢測之。

測試結果： 此份樣品共檢測112項常見西藥成份及重金屬，均未檢出。

- 請見下頁 -

Signed for and on behalf of  
SGS Taiwan Ltd.

Yuan-Min Wen  
Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 檢驗報告

報告編號： UB/2009/40406

日期： 2009年4月29日 頁數： 2 of 4



均利有限公司

台北縣新莊市建安街7號8樓

測試結果：

| 測試項目                        | 測試結果 | 檢測極限 | 單位         | 測試項目                           | 測試結果 | 檢測極限 | 單位         |
|-----------------------------|------|------|------------|--------------------------------|------|------|------------|
| 心臟血管類用藥                     | ---  | ---  | ---        | Sulfaguinoxaline (SQX)         | N.D. | 100  | ppm(mg/kg) |
| Atenolol                    | N.D. | 200  | ppm(mg/kg) | Sulfamerazine                  | N.D. | 200  | ppm(mg/kg) |
| 支氣管擴張劑                      | ---  | ---  | ---        | Sulfamethazine                 | N.D. | 400  | ppm(mg/kg) |
| Clenbuterol-HCl             | N.D. | 200  | ppm(mg/kg) | Sulfamethizole                 | N.D. | 200  | ppm(mg/kg) |
| Dyphylline                  | N.D. | 200  | ppm(mg/kg) | Sulfamethoxazole               | N.D. | 400  | ppm(mg/kg) |
| 肌肉鬆弛劑                       | ---  | ---  | ---        | Sulfamethoxyypyridazine (SMXD) | N.D. | 200  | ppm(mg/kg) |
| Chlorzoxazone               | N.D. | 400  | ppm(mg/kg) | Sulfamonomethoxine (SMM)       | N.D. | 200  | ppm(mg/kg) |
| 利尿劑                         | ---  | ---  | ---        | Sulfathiazole (STZ)            | N.D. | 200  | ppm(mg/kg) |
| Furosemide                  | N.D. | 40   | ppm(mg/kg) | Sulfisomidine                  | N.D. | 200  | ppm(mg/kg) |
| Hydrochlorothiazide         | N.D. | 200  | ppm(mg/kg) | Sulfisoxazole                  | N.D. | 200  | ppm(mg/kg) |
| Chlorothiazide              | N.D. | 200  | ppm(mg/kg) | Tetracycline HCl               | N.D. | 400  | ppm(mg/kg) |
| 局部麻醉類                       | ---  | ---  | ---        | Trimethoprim                   | N.D. | 200  | ppm(mg/kg) |
| Benzocaine                  | N.D. | 200  | ppm(mg/kg) | Griseofulvin                   | N.D. | 200  | ppm(mg/kg) |
| Tetracaine HCl              | N.D. | 200  | ppm(mg/kg) | 抗組織胺類                          | ---  | ---  | ---        |
| 抗生素類                        | ---  | ---  | ---        | Cetirizine 2HCl                | N.D. | 200  | ppm(mg/kg) |
| Amikacin                    | N.D. | 1000 | ppm(mg/kg) | Chlorpheniramine maleate       | N.D. | 200  | ppm(mg/kg) |
| Benzathine-benzylpenicillin | N.D. | 200  | ppm(mg/kg) | Cyproheptadine HCl             | N.D. | 40   | ppm(mg/kg) |
| Chlortetracycline HCl       | N.D. | 400  | ppm(mg/kg) | Cinnarizine                    | N.D. | 200  | ppm(mg/kg) |
| Ciprofloxacin (CFA)         | N.D. | 20   | ppm(mg/kg) | 降血脂用藥                          | ---  | ---  | ---        |
| Clindamycin phosphate       | N.D. | 100  | ppm(mg/kg) | Bezafibrate                    | N.D. | 40   | ppm(mg/kg) |
| Cloxacillin Sodium          | N.D. | 200  | ppm(mg/kg) | Gemfibrozil                    | N.D. | 200  | ppm(mg/kg) |
| Difloxacin-HCl              | N.D. | 200  | ppm(mg/kg) | 降眼壓劑                           | ---  | ---  | ---        |
| Dimetridazole               | N.D. | 200  | ppm(mg/kg) | Timolol Maleate                | N.D. | 200  | ppm(mg/kg) |
| Enrofloxacin                | N.D. | 100  | ppm(mg/kg) | 神經興奮劑類                         | ---  | ---  | ---        |
| Lincomycin HCl              | N.D. | 200  | ppm(mg/kg) | Theophylline                   | N.D. | 400  | ppm(mg/kg) |
| Lomefloxacin                | N.D. | 200  | ppm(mg/kg) | 痛風治療類用藥                        | ---  | ---  | ---        |
| Minocycline HCl             | N.D. | 200  | ppm(mg/kg) | Sulfipyrazone                  | N.D. | 100  | ppm(mg/kg) |
| Nalidixic acid (NAA)        | N.D. | 200  | ppm(mg/kg) | Probenecid                     | N.D. | 200  | ppm(mg/kg) |
| Norfloxacin                 | N.D. | 200  | ppm(mg/kg) | 腸胃類用藥                          | ---  | ---  | ---        |
| Ofloxacin                   | N.D. | 200  | ppm(mg/kg) | Bisacodyl                      | N.D. | 40   | ppm(mg/kg) |
| OTC                         | N.D. | 2000 | ppm(mg/kg) | Cimetidine                     | N.D. | 200  | ppm(mg/kg) |
| Oxolinic acid               | N.D. | 200  | ppm(mg/kg) | 解熱止痛劑                          | ---  | ---  | ---        |
| Oxybutynin                  | N.D. | 40   | ppm(mg/kg) | Acetaminophen                  | N.D. | 400  | ppm(mg/kg) |
| Sulfadiazine (SDZ)          | N.D. | 200  | ppm(mg/kg) | Acetophenetidin                | N.D. | 40   | ppm(mg/kg) |
| Sulfadimethoxine            | N.D. | 200  | ppm(mg/kg) | Bucetin                        | N.D. | 40   | ppm(mg/kg) |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 檢驗報告

報告編號： UB/2009/40406

日期： 2009年4月29日 頁數： 3 of 4



均利有限公司

台北縣新莊市建安街7號8樓

| 測試項目                   | 測試結果 | 檢測極限 | 單位         | 測試項目                 | 測試結果 | 檢測極限 | 單位         |
|------------------------|------|------|------------|----------------------|------|------|------------|
| Diclofenac sodium salt | N.D. | 200  | ppm(mg/kg) | 糖尿病用藥                | ---  | ---  | ---        |
| Ethoxybenzamide        | N.D. | 200  | ppm(mg/kg) | Gliclazide           | N.D. | 40   | ppm(mg/kg) |
| Fenbufen               | N.D. | 200  | ppm(mg/kg) | Metformin            | N.D. | 200  | ppm(mg/kg) |
| Flufenamic acid        | N.D. | 40   | ppm(mg/kg) | Chlorpropamide       | N.D. | 200  | ppm(mg/kg) |
| Flurbiprofen           | N.D. | 200  | ppm(mg/kg) | Tolazamide           | N.D. | 200  | ppm(mg/kg) |
| Ibuprofen              | N.D. | 200  | ppm(mg/kg) | Tolbutamide          | N.D. | 200  | ppm(mg/kg) |
| Indomethacin           | N.D. | 200  | ppm(mg/kg) | 鎮咳祛痰劑                | ---  | ---  | ---        |
| Ketoprofen             | N.D. | 200  | ppm(mg/kg) | Ambroxol HCl         | N.D. | 400  | ppm(mg/kg) |
| Mefenamic              | N.D. | 40   | ppm(mg/kg) | Bromhexine HCl       | N.D. | 200  | ppm(mg/kg) |
| Naproxen               | N.D. | 100  | ppm(mg/kg) | Dextromethorphan HCl | N.D. | 200  | ppm(mg/kg) |
| Oxyphenbutazone        | N.D. | 200  | ppm(mg/kg) | Eprazinone HCl       | N.D. | 200  | ppm(mg/kg) |
| Phenylbutazone         | N.D. | 200  | ppm(mg/kg) | Guaifenesin          | N.D. | 200  | ppm(mg/kg) |
| Piroxicam              | N.D. | 40   | ppm(mg/kg) | Cloperastine HCl     | N.D. | 200  | ppm(mg/kg) |
| Salicylamide           | N.D. | 400  | ppm(mg/kg) | Papaverine HCl       | N.D. | 200  | ppm(mg/kg) |
| Sulindac               | N.D. | 200  | ppm(mg/kg) | 類固醇類                 | ---  | ---  | ---        |
| Benzydamine HCl        | N.D. | 200  | ppm(mg/kg) | Betamethasone        | N.D. | 200  | ppm(mg/kg) |
| Bufexamac              | N.D. | 200  | ppm(mg/kg) | Dexamethasone        | N.D. | 200  | ppm(mg/kg) |
| Niflumic acid          | N.D. | 200  | ppm(mg/kg) | Methylprednisolone   | N.D. | 200  | ppm(mg/kg) |
| Phenacetin             | N.D. | 200  | ppm(mg/kg) | Prednisolone         | N.D. | 200  | ppm(mg/kg) |
| 精神安定類                  | ---  | ---  | ---        | Triamcinolone        | N.D. | 200  | ppm(mg/kg) |
| Amp                    | N.D. | 200  | ppm(mg/kg) | 荷爾蒙類                 | ---  | ---  | ---        |
| Chlormezanone          | N.D. | 400  | ppm(mg/kg) | Progesterone         | N.D. | 200  | ppm(mg/kg) |
| Chlorpromazine HCl     | N.D. | 100  | ppm(mg/kg) | 其他                   | ---  | ---  | ---        |
| Cocaine                | N.D. | 200  | ppm(mg/kg) | 4-dimethylamino HCl  | N.D. | 200  | ppm(mg/kg) |
| Ermine                 | N.D. | 200  | ppm(mg/kg) | O-phenylphenol       | N.D. | 600  | ppm(mg/kg) |
| Fluoxetine HCl         | N.D. | 100  | ppm(mg/kg) | Santonin             | N.D. | 200  | ppm(mg/kg) |
| FM2                    | N.D. | 200  | ppm(mg/kg) | 重金屬                  | ---  | ---  | ---        |
| Haloperidol            | N.D. | 100  | ppm(mg/kg) | 砷 (As)               | N.D. | 2.0  | ppm(mg/kg) |
| Heroin                 | N.D. | 200  | ppm(mg/kg) | 鉛 (Pb)               | N.D. | 2.0  | ppm(mg/kg) |
| MDMA                   | N.D. | 200  | ppm(mg/kg) | 汞 (Hg)               | N.D. | 2.0  | ppm(mg/kg) |
| Methamp                | N.D. | 200  | ppm(mg/kg) | 鎘 (Cd)               | N.D. | 2.0  | ppm(mg/kg) |
| Quetiapine             | N.D. | 40   | ppm(mg/kg) | 銅 (Cu)               | N.D. | 2.0  | ppm(mg/kg) |
| Sulpiride              | N.D. | 200  | ppm(mg/kg) | -以下空白-               |      |      |            |
| THC                    | N.D. | 200  | ppm(mg/kg) |                      |      |      |            |
| Primidone              | N.D. | 200  | ppm(mg/kg) |                      |      |      |            |

備註：1. 本報告不得分離，分離使用無效。

2. 低於方法偵測極限之測定值以 " N.D. " 表示。 - END -

3. 樣品的測試是基於申請人要求混合測試，報告中的結果不代表其中個別單一材質的含

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室  
Ultra Trace Industrial Safety Hygiene

## 檢驗報告

報告編號： UB/2009/40406

日期： 2009年4月29日 頁數： 4 of 4



均利有限公司  
台北縣新莊市建安街7號8樓

### 樣品照片



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。  
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.